

Windows Embedded Compact 7 Operating System Components



Column and SKU listing Descriptions




"C7NR" SKU: Offers key foundational operating system components targeted towards portable navigation devices only.

"C7E" SKU: Provides OEMs with a comprehensive package of operating components to develop a wide variety of general embedded devices.

"C7G" SKU: Provides Consumer Internet Device (CID) OEMs a competitive package that includes web browsing, media playback and messaging as well as foundational and connectivity technologies necessary for internet devices. These SKUs are ideal for set top boxes, portable media players, mobile internet devices, digital picture frames, digital media adapters, and eLearning devices. C7G SKU is available on Windows Embedded Compact 7.

"C7P" Professional SKU: Offers the richest set of components and applications to enable complex consumer and enterprise class devices. Professional SKU can satisfy complex scenarios such as remote desktop connectivity, data sync via Active Sync, web browsing, media playback, email, contact management, and voice communication. It also includes a software development kit to allow devices to be customized and extended by end customers. Professional SKU is ideal for many device categories including thin clients, mobile handheld terminals, and industrial automation controllers.

OS Components Table Key

-  Indicates that the corresponding catalog item is included in that particular run-time license.
-  Denotes New Item
-  Designates additional clarification appears at the end of the page

Catalog	C7NR	C7E	C7G	Professional
Applications - End User				
ActiveSync	●	●	●	●
AirSync				●
File Sync	●	●	●	●
Inbox Sync				●
Pocket Outlook Database Sync				●
CAB File Installer based on ConfigManager v1 and CSPs	●	●	●	●
CAB File Installer Medium Screen	●	●	●	●
CAB File Installer/Uninstaller	●	●	●	●
Help			●	●
Remote Desktop Connection				●
Remote Desktop Protocol (RDP)				●
Audio Playback Redirection				●
Cut/Copy/Paste Clipboard Redirection				●
File Storage Redirection				●
<i>Filtered File Storage Redirection</i>				●
License Information				●
Printer Redirection				●
Serial and Parallel Port Redirection				●

Smart Card Redirection				●
User Interface Dialog Boxes				●
Windows Network Projector				●
Sample Network Projector UI				●
Terminal Emulator				●
WordPad			●	●
Office Viewers			●	●
Word viewer			●	●
Excel viewer			●	●
PowerPoint viewer			●	●
PDF Reader			●	●
Office Viewer Launchers				
Default UI			●	●
Finger Friendly UI			●	●
Flash 10.1			●	●
Applications and Services Development				
.NET Compact Framework 3.5	●	●	●	●
.NET Compact Framework 3.5	●	●	●	●
.NET Compact Framework 3.5 String Resources	●	●	●	●
<i>.Net Compact Framework 3.5 Localized String Resources</i>	●	●	●	●
String Resources Chinese(PRC)	●	●	●	●
String Resources Chinese(Taiwan)	●	●	●	●
String Resources French(France)	●	●	●	●
String Resources German(Germany)	●	●	●	●
String Resources Italian(Italy)	●	●	●	●
String Resources Japanese(Japan)	●	●	●	●
String Resources Korean(Korea)	●	●	●	●
String Resources Portuguese(Brazil)	●	●	●	●
String Resources Spanish(International Sort)	●	●	●	●
.NET Compact Framework 3.5 - Headless	●	●	●	●
.NET Compact Framework 3.5 String Resources - Headless	●	●	●	●
<i>.Net Compact Framework 3.5 Localized String Resources - Headless</i>	●	●	●	●
String Resources Chinese(PRC) - Headless	●	●	●	●
String Resources Chinese(Taiwan) -	●	●	●	●

Headless				
String Resources French(France) - Headless	●	●	●	●
String Resources German(Germany) – Headless	●	●	●	●
String Resources Italian(Italy) - Headless	●	●	●	●
String Resources Japanese(Japan) – Headless	●	●	●	●
String Resources Korean(Korea) - Headless	●	●	●	●
String Resources Portuguese(Brazil) – Headless	●	●	●	●
String Resources Spanish(International Sort) - Headless	●	●	●	●
OS Dependencies for .NET Compact Framework 3.5	●	●	●	●
OS Dependencies for .NET Compact Framework 3.5	●	●	●	●
OS Dependencies for .NET Compact Framework 3.5 - Headless	●	●	●	●
Active Template Library (ATL)	●	●	●	●
C Libraries and Runtimes				
C++ Runtime Support for Exception Handling and Runtime Type Information	●	●	●	●
Full C Runtime	●	●	●	●
OEM Floating Point CRT (ARMV5 only)	●	●	●	●
OpenMP Runtime			●	●
Standard I/O	●	●	●	●
Standard I/O - ASCII	●	●	●	●
Standard String Formatted I/O - ASCII	●	●	●	●
CE Messaging API (MAPI)				●
Component Services (COM and DCOM)	●	●	●	●
Component Object Model	●	●	●	●
COM	●	●	●	●
<i>CoCreateGuid functionality for OLE32</i>	●	●	●	●
<i>COM Storage</i>	●	●	●	●
DCOM (o Remoting)	●	●	●	●
<i>COM Storage</i>	●	●	●	●
Minimal COM (o OLE Support)	●	●	●	●
<i>CoCreateGuid functionality for OLE32</i>				
<i>COM Storage</i>				
Lightweight Directory Access Protocol (LDAP)	●	●	●	●

Client				
Message Queuing (MSMQ)	●	●	●	●
MSMQ ActiveX Wrappers	●	●	●	●
SOAP Reliable Messaging Protocol (SRMP)	●	●	●	●
Object Exchange Protocol (OBEX)	●	●	●	●
OBEX Client	●	●	●	●
OBEX Server	●	●	●	●
OBEX File Browser	●	●	●	●
OBEX Inbox	●	●	●	●
Pocket Outlook Object Model (POOM) API				●
SMS transport for CEMAPI		●	●	●
SQL Compact		●	●	●
SQL Compact		●	●	●
SQL Compact Managed Provider		●	●	●
Standard SDK for Windows Embedded Compact	●	●	●	●
String Safe Utility Functions	●	●	●	●
XML	●	●	●	●
MSXML 3.0	●	●	●	●
XML Core Services and Document Object Model (DOM)	●	●	●	●
<i>XML Error Strings</i>	●	●	●	●
<i>XML HTTP</i>	●	●	●	●
<i>XML Query Languages (XQL)</i>	●	●	●	●
XML Stylesheet Language Transformations (XSLT)	●	●	●	●
<i>XML SAX</i>	●	●	●	●
XML Minimal Parser	●	●	●	●
XmlLite	●	●	●	●

Communication Services and Networking

Cellular	1 see note	1 see note	1 see note	●
CellCore	1 see note	1 see note	1 see note	●
All Modules	1 see note	1 see note	1 see note	●
Cellular TAPI Service Provider	1 see note	1 see note	1 see note	●
RIL Proxy	1 see note	1 see note	1 see note	●
RIL Proxy Log	1 see note	1 see note	1 see note	●
SIM Manager	1 see note	1 see note	1 see note	●
SMS	1 see note	1 see note	1 see note	●

WAP	1 see note	1 see note	1 see note	●
Wireless WAN	1 see note	1 see note	1 see note	●
Connection Manager	●	●	●	●
Connection Manager All Modules	●	●	●	●
MTP Responder		●	●	●
MTP Responder (minimal)		●	●	●
MTP Metadata Databases		●	●	●
File MDB		●	●	●
Media MDB (media library)		●	●	●
Transports				
MTP IP Transport		●	●	●
MTP USB Transport		●	●	●
Networking - General	●	●	●	●
Domain Discovery	●	●	●	●
Extended DNS Querying and Update (DNSAPI)	●	●	●	●
Secure DDNS	●	●	●	●
Extensible Authentication Protocol	●	●	●	●
Extensible Authentication Protocol Host	●	●	●	●
Internet Connection Sharing (ICS)	●	●	●	●
Gateway Logging	●	●	●	●
IPSec v4	●	●	●	●
Link Layer Topology Discovery Responder			●	●
Networking General	●	●	●	●
NDIS Packet Capturing DLL	●	●	●	●
NDIS User-mode I/O Protocol Driver	●	●	●	●
Network Bridging	●	●	●	●
Network Driver Architecture (NDIS)	●	●	●	●
Network Utilities (IpConfig, Ping, Route)	●	●	●	●
TCP/IP	●	●	●	●
IP Helper API	●	●	●	●
Universal Plug and Play (UPnP)			●	●
Control Point API			●	●
Device Host API			●	●
Device Host API (Minimal Subset)			●	●
Sample UPnP IGD Schema Implementation			●	●
UPnP Audio-Video (AV) Device Control Protocol				

<i>AV Control Point API</i>			●	●
<i>AV Device API</i>			●	●
<i>AV Renderer Sample</i>			●	●
UPnP Tools			●	●
Web Services on Devices (WSD)		●	●	●
Web Services on Devices		●	●	●
Web Services on Devices Samples		●	●	●
Windows Filter Platform	●	●	●	●
Windows Networking API/Redirector (SMB/CIFS)	●	●	●	●
Winsock Support	●	●	●	●
Networking - Local Area Network (LAN)	●	●	●	●
Wired Local Area Network (802.3, 802.5)	●	●	●	●
Wireless LAN (802.11) STA – Automatic Configuration and 802.1x	●	●	●	●
Networking - Personal Area Network (PAN)	●	●	●	●
Bluetooth	●	●	●	●
Basic Package	●	●	●	●
<i>Bluetooth Profile Management APIs</i>	●	●	●	●
<i>Bluetooth Stack with Universal Loadable Driver</i>				
General Embedded Package				
<i>Bluetooth HID Device Support</i>	●	●	●	●
Bluetooth HID - Keyboard	●	●	●	●
Bluetooth HID - Mouse	●	●	●	●
<i>Bluetooth HS/HF and Audio Gateway Service</i>	●	●	●	●
<i>Bluetooth PAN</i>	●	●	●	●
<i>Bluetooth Settings UI</i>	●	●	●	●
Networking - Wide Area Network (WAN)	●	●	●	●
Dial Up Networking (RAS/PPP)	●	●	●	●
AutoDial	●	●	●	●
Standard Modem Support for Dial Up Networking	●	●	●	●
Point-to-Point Protocol over Ethernet (PPPoE)	●	●	●	●
Telephony API (TAPI 2.0)	●	●	●	●
TAPI Service Provider - Generic Modem Support	●	●	●	●
Virtual Private Networking				
L2TP/IPSec	●	●	●	●

PPTP	●	●	●	●
Servers	●	●	●	●
Core Server Support	●	●	●	●
DHCP Server				
DHCP Server Service	●	●	●	●
File Server				
File Server (SMB/CIFS)	●	●	●	●
File Server Customizable Web UI	●	●	●	●
FTP Server	●	●	●	●
Print Server (SMB/CIFS)	●	●	●	●
RAS Server/PPTP Server (Incoming)	●	●	●	●
Simple Network Time Protocol (SNTP)				
Automatic DST Adjustment Service	●	●	●	●
SNTP Client Service	●	●	●	●
Telnet Server	●	●	●	●
Web Proxy	●	●	●	●
Web Server (HTTPD)	●	●	●	●
Active Server Pages (ASP) Support	●	●	●	●
<i>JScript 5.8</i>	●	●	●	●
<i>VBScript 5.8</i>	●	●	●	●
Web Server Administration ISAPI	●	●	●	●
WebDAV Support	●	●	●	●
Core OS Services				
Battery Driver	●	●	●	●
Debugging Tools	●	●	●	●
Keyboard Test Application	●	●	●	●
Remote Display Application	●	●	●	●
Tiny Kernel Test Sample Application	●	●	●	●
Toolhelp API	●	●	●	●
Touch Driver Test Application	●	●	●	●
Device Manager	●	●	●	●
Display Support	●	●	●	●
Kernel Functionality	●	●	●	●
Fiber API	●	●	●	●
FormatMessage API	●	●	●	●
FormatMessage API - System Error Messages	●	●	●	●

Memory Mapped Files	●	●	●	●
Message Queue - Point-to-Point	●	●	●	●
Target Control Support (Shell.exe)	●	●	●	●
NLED Service	●	●	●	●
Notification (Choose 1)	●	●	●	●
on UI based notification	●	●	●	●
UI based notification	●	●	●	●
Notification LED Support	●	●	●	●
Parallel Port Support	●	●	●	●
Power Management (Choose 1)	●	●	●	●
Power Management (Full)	●	●	●	●
Power Management (Minimal)	●	●	●	●
Serial Port Support	●	●	●	●
Time Zone and DST Service	●	●	●	●
Automatic DST Adjustment Service	●	●	●	●
Time Zone Support	●	●	●	●
UI Proxy for Kernel-Mode Drivers	●	●	●	●
Windows Embedded Compact Driver Development Kit Support Library	●	●	●	●
Device Drivers				
Accelerometer Driver	●	●	●	●
Backlight	●	●	●	●
Backlight Driver	●	●	●	●
I2C Bus	●	●	●	●
Camera	●	●	●	●
NULL Camera Driver	●	●	●	●
Asynctmac NDIS Driver	●	●	●	●
SD	●	●	●	●
SD Bus Driver	●	●	●	●
SD Memory	●	●	●	●
SD Standard Host Controller	●	●	●	●
Smart Card	●	●	●	●
Bull Systems SmarTLP3 - Serial Smart Card Reader	●	●	●	●
SCM Microsystems SCR300 - USB Smart Card Reader	●	●	●	●
Storage Devices	●	●	●	●
ATAPI PCI Support	●	●	●	●

Basic ATAPI PCI CD/DVD-ROM Support	●	●	●	●
<i>ATAPI PCI/IDE Storage Block Driver</i>	●	●	●	●
<i>Promise Controller ATAPI driver</i>	●	●	●	●
Flash MDD	●	●	●	●
Intel StrataFlash oR Driver	●	●	●	●
USB	●	●	●	●
<i>Netchip NET2280 USB Function Controller</i>	●	●	●	●
<i>Composite Function Driver</i>	●	●	●	●
<i>USBFN Mass Storage Client</i>	●	●	●	●
<i>USBFN RNDIS Client</i>	●	●	●	●
<i>USBFN Serial Client</i>	●	●	●	●
USB Function Support	●	●	●	●
<i>USB Human Input Device (HID) Class</i>	●	●	●	●
USB HID Keyboard and Mouse	●	●	●	●
USB HID Keyboard Only	●	●	●	●
USB HID Mouse Only	●	●	●	●
<i>USB Printer Class Driver</i>	●	●	●	●
<i>USB RNDIS Class Driver</i>	●	●	●	●
<i>USB Storage Class Driver</i>	●	●	●	●
USB Host Support	●	●	●	●
USB Audio	●	●	●	●
Device Management				
Simple Network Management Protocol (SNMP)	●	●	●	●
File Systems and Data Store				
Compression	●	●	●	●
Database Support	●	●	●	●
CEDB Database Engine	●	●	●	●
EDB Database Engine	●	●	●	●
File and Database Replication	●	●	●	●
Bit-based	●	●	●	●
File Cache Manager	●	●	●	●
File System - Internal (Choose 1)	●	●	●	●
RAM and ROM File System	●	●	●	●
ROM-only File System	●	●	●	●
Registry Storage (Choose 1)	●	●	●	●
Hive-based Registry	●	●	●	●

RAM-based Registry	●	●	●	●
Storage Manager	●	●	●	●
Binary Rom Image File System	●	●	●	●
CD/UDFS File System	●	●	●	●
exFAT File System	●	●	●	●
FAT File System	●	●	●	●
Partition Driver	●	●	●	●
Release Directory File System	●	●	●	●
Silent FAT File System UI	●	●	●	●
Storage Manager Control Panel Applet	●	●	●	●
Transaction-Safe FAT File System (TFAT)	●	●	●	●
System Password	●	●	●	●
Fonts				
Scripts	●	●	●	●
Arabic				
Arial	●	●	●	●
Arial Bold	●	●	●	●
Arial Bold Italic	●	●	●	●
Arial Italic	●	●	●	●
Courier New	●	●	●	●
Courier New Bold	●	●	●	●
Courier New Bold Italic	●	●	●	●
Courier New Italic	●	●	●	●
Microsoft San Serif	●	●	●	●
Microsoft Uighur	●	●	●	●
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Segoe UI Bold italic	●	●	●	●
Segoe UI Italic	●	●	●	●
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●
Times New Roman	●	●	●	●
Times New Roman Bold	●	●	●	●
Times New Roman Bold Italic	●	●	●	●
Times New Roman Italic	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●

Armenian				
Sylfaen	●	●	●	●
Bengali				
Unicode Script Processor for Complex Scripts	●	●	●	●
Vrinda	●	●	●	●
Vrinda Bold	●	●	●	●
Cherokee				
Plantagenet Cherokee	●	●	●	●
Chinese (Simplified)				
Microsoft YaHei	●	●	●	●
Microsoft YaHei Bold	●	●	●	●
SimSun & NSimSun	●	●	●	●
SimSun-ExtB	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Chinese (Traditional)				
Microsoft JhengHei	●	●	●	●
Microsoft JhengHei Bold	●	●	●	●
MingLiU & PMingLiU & MingLiU_HKSCS	●	●	●	●
MingLiU-ExtB & PMingLiU-ExtB & MingLiU_HKSCS-ExtB	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Cyrillic				
Arial	●	●	●	●
Arial Bold	●	●	●	●
Arial Bold Italic	●	●	●	●
Arial Italic	●	●	●	●
Comic Sans MS	●	●	●	●
Comic Sans MS Bold	●	●	●	●
Courier New	●	●	●	●
Courier New Bold	●	●	●	●
Courier New Bold Italic	●	●	●	●
Courier New Italic	●	●	●	●
Georgia	●	●	●	●
Georgia Bold	●	●	●	●
Georgia Bold Italic	●	●	●	●

Georgia Italic	●	●	●	●
Impact	●	●	●	●
Microsoft San Serif	●	●	●	●
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Segoe UI Bold italic	●	●	●	●
Segoe UI Italic	●	●	●	●
Segoe UI Light	●	●	●	●
Segoe UI Semibold	●	●	●	●
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●
Times New Roman	●	●	●	●
Times New Roman Bold	●	●	●	●
Times New Roman Bold Italic	●	●	●	●
Times New Roman Italic	●	●	●	●
Trebuchet MS	●	●	●	●
Trebuchet MS Bold	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●
Trebuchet MS Italic	●	●	●	●
Verdana	●	●	●	●
Verdana Bold	●	●	●	●
Verdana Bold Italic	●	●	●	●
Verdana Italic	●	●	●	●
Devanagari				
Mangal	●	●	●	●
Mangal Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Divehi				
MV Boli	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Ethiopic				
Nyala	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Georgian				
Sylfaen	●	●	●	●

Greek

Arial	●	●	●	●
Arial Bold	●	●	●	●
Arial Bold Italic	●	●	●	●
Arial Italic	●	●	●	●
Comic Sans MS	●	●	●	●
Comic Sans MS Bold	●	●	●	●
Courier New	●	●	●	●
Courier New Bold	●	●	●	●
Courier New Bold Italic	●	●	●	●
Courier New Italic	●	●	●	●
Georgia	●	●	●	●
Georgia Bold	●	●	●	●
Georgia Bold Italic	●	●	●	●
Georgia Italic	●	●	●	●
Impact	●	●	●	●
Microsoft San Serif	●	●	●	●
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Segoe UI Bold italic	●	●	●	●
Segoe UI Italic	●	●	●	●
Segoe UI Light	●	●	●	●
Segoe UI Semibold	●	●	●	●
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●
Times New Roman	●	●	●	●
Times New Roman Bold	●	●	●	●
Times New Roman Bold Italic	●	●	●	●
Times New Roman Italic	●	●	●	●
Trebuchet MS	●	●	●	●
Trebuchet MS Bold	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●
Trebuchet MS Italic	●	●	●	●
Verdana	●	●	●	●
Verdana Bold	●	●	●	●
Verdana Bold Italic	●	●	●	●
Verdana Italic	●	●	●	●

Gujarati				
Shruti	●	●	●	●
Shruti Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Gurmukhi				
Raavi	●	●	●	●
Raavi Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Hebrew				
Arial	●	●	●	●
Arial Bold	●	●	●	●
Arial Bold Italic	●	●	●	●
Arial Italic	●	●	●	●
Courier New	●	●	●	●
Courier New Bold	●	●	●	●
Courier New Bold Italic	●	●	●	●
Courier New Italic	●	●	●	●
Microsoft San Serif	●	●	●	●
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●
Times New Roman	●	●	●	●
Times New Roman Bold	●	●	●	●
Times New Roman Bold Italic	●	●	●	●
Times New Roman Italic	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Inuktitut				
Euphemia	●	●	●	●
Japanese				
Meiryo & Meiryo UI	●	●	●	●
Meiryo Bold & Meiryo UI Bold	●	●	●	●
MS Gothic & MS P Gothic & MS UI Gothic	●	●	●	●
MS Gothic 12 and 16 Point	●	●	●	●
MS Mincho & MS PMincho	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●

Kannada				
Tunga	●	●	●	●
Tunga Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Khmer				
Khmer UI	●	●	●	●
Khmer UI Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Korean				
Malgun Gothic	●	●	●	●
Malgun Gothic Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Lao				
Lao UI	●	●	●	●
Lao UI Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Latin				
Arial	●	●	●	●
Arial Bold	●	●	●	●
Arial Bold Italic	●	●	●	●
Arial Italic	●	●	●	●
Comic Sans MS	●	●	●	●
Comic Sans MS Bold	●	●	●	●
Courier New	●	●	●	●
Courier New Bold	●	●	●	●
Courier New Bold Italic	●	●	●	●
Courier New Italic	●	●	●	●
Ebrima	●	●	●	●
Ebrima Bold	●	●	●	●
Georgia	●	●	●	●
Georgia Bold	●	●	●	●
Georgia Bold Italic	●	●	●	●
Georgia Italic	●	●	●	●
Impact	●	●	●	●

Microsoft San Serif	●	●	●	●
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Segoe UI Bold italic	●	●	●	●
Segoe UI Italic	●	●	●	●
Segoe UI Light	●	●	●	●
Segoe UI Semibold	●	●	●	●
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●
Times New Roman	●	●	●	●
Times New Roman Bold	●	●	●	●
Times New Roman Bold Italic	●	●	●	●
Times New Roman Italic	●	●	●	●
Trebuchet MS	●	●	●	●
Trebuchet MS Bold	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●
Trebuchet MS Italic	●	●	●	●
Verdana	●	●	●	●
Verdana Bold	●	●	●	●
Verdana Bold Italic	●	●	●	●
Verdana Italic	●	●	●	●
Malayalam				
Kartika	●	●	●	●
Kartika Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Mongolian				
Mongolian Baiti	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
New Tai Lue				
Microsoft New Tai Lue	●	●	●	●
Microsoft New Tai Lue Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
N'Ko, Tamazight and Vai				
Ebrima	●	●	●	●
Ebrima Bold	●	●	●	●

Unicode Script Processor for Complex Scripts	●	●	●	●
Oriya				
Kalinga	●	●	●	●
Kalinga Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
PhagsPa				
Microsoft PhagsPa	●	●	●	●
Microsoft PhagsPa Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Sinhala				
Iskoola Pota	●	●	●	●
Iskoola Pota Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Syriac				
Estrangelo Edessa	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Tai Le				
Microsoft Tai Le	●	●	●	●
Microsoft Tai Le Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Tamil				
Latha	●	●	●	●
Latha Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Telugu				
Gautami	●	●	●	●
Gautami Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Thai				
Microsoft San Serif	●	●	●	●
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●

Unicode Script Processor for Complex Scripts	●	●	●	●
Tibetan				
Microsoft Himalaya	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Yi				
Microsoft Yi Baiti	●	●	●	●
Symbol	●	●	●	●
UI	●	●	●	●
Microsoft San Serif	●	●	●	●
Segoe UI				
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Segoe UI Bold italic	●	●	●	●
Segoe UI Italic	●	●	●	●
Segoe UI Light	●	●	●	●
Segoe UI Semibold	●	●	●	●
Tahoma				
Tahoma	●	●	●	●
Tahoma Bold	●	●	●	●
Web Fonts				
Arial				
Arial	●	●	●	●
Arial Black	●	●	●	●
Arial Bold	●	●	●	●
Arial Bold Italic	●	●	●	●
Arial Italic	●	●	●	●
Comic Sans MS				
Comic Sans MS	●	●	●	●
Comic Sans MS Bold	●	●	●	●
Courier New				
Courier New	●	●	●	●
Courier New Bold	●	●	●	●
Courier New Bold Italic	●	●	●	●
Courier New Italic	●	●	●	●
Georgia				

Georgia	●	●	●	●
Georgia Bold	●	●	●	●
Georgia Bold Italic	●	●	●	●
Georgia Italic	●	●	●	●
Lucida Sans Unicode	●	●	●	●
Times New Roman				
Times New Roman	●	●	●	●
Times New Roman Bold	●	●	●	●
Times New Roman Bold Italic	●	●	●	●
Times New Roman Italic	●	●	●	●
Trebuchet MS				
Trebuchet MS	●	●	●	●
Trebuchet MS Bold	●	●	●	●
Trebuchet MS Bold Italic	●	●	●	●
Trebuchet MS Italic	●	●	●	●
Verdana				
Verdana	●	●	●	●
Verdana Bold	●	●	●	●
Verdana Bold Italic	●	●	●	●
Verdana Italic	●	●	●	●
Webdings	●	●	●	●
Wingdings	●	●	●	●
Graphics and Multimedia Technologies				
Audio	●	●	●	●
Audio Compression Manager	●	●	●	●
GSM 6.10 Codec	●	●	●	●
MSFilter Codec	●	●	●	●
Audio Routing Manager	●	●	●	●
Waveform Audio	●	●	●	●
Graphics	●	●	●	●
AlphaBlend API (GDI version)	●	●	●	●
DirectDraw	●	●	●	●
Gradient Fill Support	●	●	●	●
Imaging				
Still Image Codec Support (Encode and Decode)	●	●	●	●
Still Image Decoders				

<i>BMP Decoder</i>	●	●	●	●
<i>GIF Decoder</i>	●	●	●	●
<i>ICO Decoder</i>	●	●	●	●
<i>JPG Decoder</i>	●	●	●	●
<i>PNG Decoder</i>	●	●	●	●
<i>TIFF Decoder</i>	●	●	●	●
Still Image Encoders				
<i>BMP Encoder</i>	●	●	●	●
<i>GIF Encoder</i>	●	●	●	●
<i>JPG Encoder</i>	●	●	●	●
<i>PNG Encoder</i>	●	●	●	●
<i>TIFF Encoder</i>	●	●	●	●
Multiple Monitor Support	●	●	●	●
Raster Fonts Support	●	●	●	●
V1 Font Compatibility	●	●	●	●
Windows Codecs				
Windows Codecs	●	●	●	●
Media				
Audio Codecs and Renderers	●	●	●	●
G.711 Audio Codec	●	●	●	●
GSM 6.10 Audio Codec	●	●	●	●
IMA ADPCM Audio Codec	●	●	●	●
MP3 Codec	●	●	●	●
MPEG-1 Layer 1 and 2 Audio Codec	●	●	●	●
MS ADPCM Audio Codec	●	●	●	●
Wave/AIFF/au/snd File Parser	●	●	●	●
Waveform Audio Renderer	●	●	●	●
WMA Codec	●	●	●	●
WMA Voice Codec	●	●	●	●
WMAPro over S/PDIF Packetizer	●	●	●	●
Digital Rights Management				
DRM License Acquisition OCX	●	●	●	●
Windows Media DRM 10 PD	●	●	●	●
WMDRM 10 for Networked Devices				
<i>Windows Media DRM 10 ND</i>	●	●	●	●
DirectShow				
ACM Wrapper Filter	●	●	●	●

DirectShow Core	●	●	●	●
DirectShow Display	●	●	●	●
DirectShow Error Messages	●	●	●	●
DirectShow MIDI Parser Filter	●	●	●	●
DirectShow MIDI Synthesizer Filter	●	●	●	●
DirectShow Video Capture	●	●	●	●
DMO Wrapper Filter	●	●	●	●
HTTP Streamer Filter	●	●	●	●
Local File Streamer	●	●	●	●
Still Image Decoder Filter	●	●	●	●
Media Formats	●	●	●	●
AVI Filter	●	●	●	●
MPEG-1 Parser/Splitter	●	●	●	●
MPEG-2 Demultiplexer	●	●	●	●
MPEG-4 Demultiplexer	●	●	●	●
Media Library		●	●	●
Media Library		●	●	●
Media Renderer				
Media Renderer	●	●	●	●
Streaming Media Playback			●	●
Video Codecs and Renderers	●	●	●	●
DirectShow Video Mixing Renderer	●	●	●	●
MPEG-1 Video Codec	●	●	●	●
MS RLE Video Codec	●	●	●	●
Video/Image Compression Manager	●	●	●	●
WM ASF Reader Filter				
Windows Media Player			●	●
Windows Media Player Applications			●	●
<i>Windows Music Player</i>			●	●
<i>Windows Photo Viewer</i>			●	●
<i>Windows Video Player</i>			●	●
Windows Media Player OCX			●	●
Windows Media Player OCX v7.0			●	●
Windows Media Technologies			●	●
<i>ASX v1 and M3U File Support</i>			●	●
<i>ASX v2 File Support</i>			●	●
<i>ASX v3 File Support</i>			●	●

<i>Windows Media Multicast and Multi-Bit Rate</i>			●	●
<i>Windows Media Streaming from Local Storage</i>			●	●
<i>Windows Media Streaming over HTTP</i>			●	●
<i>Windows Media Streaming over MMS</i>			●	●
WMA and MP3 Local Playback			●	●
WMA and MP3 Streaming			●	●
Media Content			●	●
International				
Code Page	●	●	●	●
GB18030 Data Converter	●	●	●	●
Input Method Manager (IMM)	●	●	●	●
Language	●	●	●	●
Afrikaans				
Locale				
<i>Afrikaans</i>	●	●	●	●
<i>Afrikaans (South Africa)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Albanian				
Locale				
<i>Albanian</i>	●	●	●	●
<i>Albanian (Albania)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Alsatian				
Locale				
<i>Alsatian</i>	●	●	●	●
<i>Alsatian (France)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Amharic				
Locale				

<i>Amharic</i>	●	●	●	●
<i>Amharic (Ethiopia)</i>	●	●	●	●
UI Font				
<i>Nyala</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Arabic				
Keyboard				
<i>Arabic Keyboard (101)</i>	●	●	●	●
Locale				
<i>Arabic</i>	●	●	●	●
<i>Arabic (Algeria)</i>	●	●	●	●
<i>Arabic (Bahrain)</i>	●	●	●	●
<i>Arabic (Egypt)</i>	●	●	●	●
<i>Arabic (Iraq)</i>	●	●	●	●
<i>Arabic (Jordan)</i>	●	●	●	●
<i>Arabic (Kuwait)</i>	●	●	●	●
<i>Arabic (Lebaon)</i>	●	●	●	●
<i>Arabic (Libya)</i>	●	●	●	●
<i>Arabic (Morocco)</i>	●	●	●	●
<i>Arabic (Oman)</i>	●	●	●	●
<i>Arabic (Qatar)</i>	●	●	●	●
<i>Arabic (Saudi Arabia)</i>	●	●	●	●
<i>Arabic (Syria)</i>	●	●	●	●
<i>Arabic (Tunisia)</i>	●	●	●	●
<i>Arabic (U.A.E.)</i>	●	●	●	●
<i>Arabic (Yemen)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Armenian				
Locale				
<i>Armenian</i>	●	●	●	●
<i>Armenian (Armenia)</i>	●	●	●	●
UI Font				

<i>Sylfaen</i>	●	●	●	●
Assamese				
Locale				
<i>Assamese</i>	●	●	●	●
<i>Assamese (India)</i>	●	●	●	●
UI Font				
<i>Vrinda</i>	●	●	●	●
<i>Vrinda Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Azeri				
Locale				
<i>Azeri</i>	●	●	●	●
<i>Azeri (Cyrillic)</i>	●	●	●	●
<i>Azeri (Cyrillic, Azerbaijan)</i>	●	●	●	●
<i>Azeri (Latin)</i>	●	●	●	●
<i>Azeri (Latin, Azerbaijan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Bashkir				
Locale				
<i>Bashkir</i>	●	●	●	●
<i>Bashkir (Russia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Basque				
Locale				
<i>Basque</i>	●	●	●	●
<i>Basque (Basque)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Belarusian				
Locale				
<i>Belarusian</i>	●	●	●	●

<i>Belarusian (Belarus)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Bengali				
Locale				
<i>Bengali</i>	●	●	●	●
<i>Bengali (Bangladesh)</i>	●	●	●	●
<i>Bengali (India)</i>	●	●	●	●
UI Font				
<i>Vrinda</i>	●	●	●	●
<i>Vrinda Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Bosnian				
Locale				
<i>Bosnian</i>	●	●	●	●
<i>Bosnian (Cyrillic)</i>	●	●	●	●
<i>Bosnian (Cyrillic, Bosnia and Herzegovina)</i>	●	●	●	●
<i>Bosnian (Latin)</i>	●	●	●	●
<i>Bosnian (Latin, Bosnia and Herzegovina)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Breton				
Locale				
<i>Breton</i>	●	●	●	●
<i>Breton (France)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Bulgarian				
Locale				
<i>Bulgarian</i>	●	●	●	●
<i>Bulgarian (Bulgaria)</i>	●	●	●	●
UI Font				

<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Catalan				
Locale				
<i>Catalan</i>	●	●	●	●
<i>Catalan (Catalan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Cherokee				
UI Font				
<i>Plantagenet Cherokee</i>	●	●	●	●
Chinese (Simplified)				
Code Page				
<i>GB18030 Data Converter</i>	●	●	●	●
East Asian Edit Control	●	●	●	●
East Asian Word Wrap	●	●	●	●
Input Method Editor				
<i>MSPY 3.0 for Windows Embedded Compact</i>	●	●	●	●
Double Spelling (Shuang Pin) soft keyboard - Large	●	●	●	●
Double Spelling (Shuang Pin) soft keyboard - Small	●	●	●	●
MSPY 3.0 for Windows Embedded Compact Database (Choose 1)				
1.1 MB - Minimal Database	●	●	●	●
1.3 MB - Compact Database	●	●	●	●
1.7 MB - Standard Database	●	●	●	●
<i>Pocket IME</i>				
Double Spelling (Shuang Pin) soft keyboard - Small	●	●	●	●
Locale				
<i>Chinese</i>	●	●	●	●
<i>Chinese (Macao S.A.R.)</i>	●	●	●	●
<i>Chinese (Macao S.A.R., radical/stroke sort)</i>	●	●	●	●
<i>Chinese (Macao S.A.R., stroke sort)</i>	●	●	●	●
<i>Chinese (PRC)</i>	●	●	●	●

<i>Chinese (PRC, stroke sort)</i>	●	●	●	●
<i>Chinese (Simplified)</i>	●	●	●	●
<i>Chinese (Singapore)</i>	●	●	●	●
<i>Chinese (Singapore, stroke sort)</i>	●	●	●	●
Mootype Imaging AC3 Font Compression				
UI Font				
<i>Microsoft YaHei</i>	●	●	●	●
<i>Microsoft YaHei Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Chinese (Traditional)				
East Asian Edit Control	●	●	●	●
East Asian Word Wrap	●	●	●	●
Input Method Editor				
<i>Pocket IME</i>	●	●	●	●
Input Methods				
<i>Input by Radical (Chang Jei)</i>	●	●	●	●
<i>Phonetic Input (Bopomofo)</i>	●	●	●	●
Locale				
<i>Chinese (Hong Kong S.A.R.)</i>	●	●	●	●
<i>Chinese (Hong Kong S.A.R., radical/stroke sort)</i>	●	●	●	●
<i>Chinese (Taiwan)</i>	●	●	●	●
<i>Chinese (Taiwan, Bopomofo sort)</i>	●	●	●	●
<i>Chinese (Taiwan, radical/stroke sort)</i>	●	●	●	●
<i>Chinese (Traditional)</i>	●	●	●	●
Mootype Imaging AC3 Font Compression	●	●	●	●
UI Font				
<i>Microsoft JhengHei</i>	●	●	●	●
<i>Microsoft JhengHei Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Corsican				
Locale				
<i>Corsican</i>	●	●	●	●
<i>Corsican (France)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●

<i>Segoe UI Bold</i>	●	●	●	●
Croatian				
Locale				
<i>Croatian</i>	●	●	●	●
<i>Croatian (Croatia)</i>	●	●	●	●
<i>Croatian (Latin, Bosnia and Herzegovina)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Czech				
Locale				
<i>Czech</i>	●	●	●	●
<i>Czech (Czech Republic)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Danish				
Locale				
<i>Danish</i>	●	●	●	●
<i>Danish (Denmark)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Dari				
Locale				
<i>Dari</i>	●	●	●	●
<i>Dari (Afghanistan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Divehi				
Locale				
<i>Divehi</i>	●	●	●	●
<i>Divehi (Maldives)</i>	●	●	●	●

UI Font				
<i>MV Boli</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Dutch				
Locale				
<i>Dutch</i>	●	●	●	●
<i>Dutch (Belgium)</i>	●	●	●	●
<i>Dutch (Netherlands)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
English				
Keyboard				
<i>US Dvorak Keyboard</i>	●	●	●	●
<i>US Qwerty Keyboard</i>	●	●	●	●
Locale				
<i>English</i>	●	●	●	●
<i>English (Australia)</i>	●	●	●	●
<i>English (Belize)</i>	●	●	●	●
<i>English (Canada)</i>	●	●	●	●
<i>English (Caribbean)</i>	●	●	●	●
<i>English (India)</i>	●	●	●	●
<i>English (Ireland)</i>	●	●	●	●
<i>English (Jamaica)</i>	●	●	●	●
<i>English (Malaysia)</i>	●	●	●	●
<i>English (New Zealand)</i>	●	●	●	●
<i>English (Philippines)</i>	●	●	●	●
<i>English (Singapore)</i>	●	●	●	●
<i>English (South Africa)</i>	●	●	●	●
<i>English (Trinidad and Tobago)</i>	●	●	●	●
<i>English (United Kingdom)</i>	●	●	●	●
<i>English (United States)</i>	●	●	●	●
<i>English (Zimbabwe)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●

Estonian				
Locale				
<i>Estonian</i>	●	●	●	●
<i>Estonian (Estonia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Faroese				
Locale				
<i>Faroese</i>	●	●	●	●
<i>Faroese (Faroe Islands)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Filipino				
Locale				
<i>Filipino</i>	●	●	●	●
<i>Filipino (Philippines)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Finnish				
Locale				
<i>Finnish</i>	●	●	●	●
<i>Finnish (Finland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
French				
Locale				
<i>French</i>	●	●	●	●
<i>French (Belgium)</i>	●	●	●	●
<i>French (Canada)</i>	●	●	●	●
<i>French (France)</i>	●	●	●	●
<i>French (Luxembourg)</i>	●	●	●	●
<i>French (Principality of Monaco)</i>	●	●	●	●
<i>French (Switzerland)</i>	●	●	●	●

UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Frisian				
Locale				
<i>Frisian</i>	●	●	●	●
<i>Frisian (Netherlands)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Galician				
Locale				
<i>Galician</i>	●	●	●	●
<i>Galician (Galician)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Georgian				
Locale				
<i>Georgian</i>	●	●	●	●
<i>Georgian (Georgia)</i>	●	●	●	●
<i>Georgian (Georgia, modern)</i>	●	●	●	●
UI Font				
<i>Sylfaen</i>	●	●	●	●
German				
Locale				
<i>German</i>	●	●	●	●
<i>German (Austria)</i>	●	●	●	●
<i>German (Germany)</i>	●	●	●	●
<i>German (Germany, phone book sort)</i>	●	●	●	●
<i>German (Liechtenstein)</i>	●	●	●	●
<i>German (Luxembourg)</i>	●	●	●	●
<i>German (Switzerland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Greek				

Locale				
<i>Greek</i>	●	●	●	●
<i>Greek (Greece)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Greenlandic				
Locale				
<i>Greenlandic</i>	●	●	●	●
<i>Greenlandic (Greenland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Gujarati				
Keyboard				
<i>Gujarati Keyboard</i>	●	●	●	●
Locale				
<i>Gujarati</i>	●	●	●	●
<i>Gujarati (India)</i>	●	●	●	●
UI Font				
<i>Shruti</i>	●	●	●	●
<i>Shruti Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Hausa				
Locale				
<i>Hausa</i>	●	●	●	●
<i>Hausa (Latin)</i>	●	●	●	●
<i>Hausa (Latin, Nigeria)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Hebrew				
Keyboard				
<i>Hebrew Keyboard</i>	●	●	●	●
Locale				
<i>Hebrew</i>	●	●	●	●

<i>Hebrew (Israel)</i>	●	●	●	●
UI Font				
<i>Tahoma</i>	●	●	●	●
<i>Tahoma Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Hindi				
Keyboard				
<i>Hindi Traditional Keyboard</i>	●	●	●	●
Locale				
<i>Hindi</i>	●	●	●	●
<i>Hindi (India)</i>	●	●	●	●
UI Font				
<i>Mangal</i>	●	●	●	●
<i>Mangal Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Hungarian				
Locale				
<i>Hungarian</i>	●	●	●	●
<i>Hungarian (Hungary)</i>	●	●	●	●
<i>Hungarian (Hungary, technical sort)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Icelandic				
Locale				
<i>Icelandic</i>	●	●	●	●
<i>Icelandic (Iceland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Igbo				
Locale				
<i>Igbo</i>	●	●	●	●
<i>Igbo (Nigeria)</i>	●	●	●	●
UI Font				

<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Indonesian				
Locale				
<i>Indonesian</i>	●	●	●	●
<i>Indonesian (Indonesia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Inuktitut				
Locale				
<i>Inuktitut</i>	●	●	●	●
<i>Inuktitut (Latin)</i>	●	●	●	●
<i>Inuktitut (Latin, Canada)</i>	●	●	●	●
<i>Inuktitut (Syllabics)</i>	●	●	●	●
<i>Inuktitut (Syllabics, Canada)</i>	●	●	●	●
UI Font				
<i>Euphemia</i>	●	●	●	●
Irish				
Locale				
<i>Irish</i>	●	●	●	●
<i>Irish (Ireland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
isiXhosa				
Locale				
<i>isiXhosa</i>	●	●	●	●
<i>isiXhosa (South Africa)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
isiZulu				
Locale				
<i>isiZulu</i>	●	●	●	●
<i>isiZulu (South Africa)</i>	●	●	●	●
UI Font				

<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Italian				
Locale				
<i>Italian</i>	●	●	●	●
<i>Italian (Italy)</i>	●	●	●	●
<i>Italian (Switzerland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Japanese				
East Asian Edit Control	●	●	●	●
East Asian Word Wrap	●	●	●	●
Input Method Editor (Choose 1)				
<i>IME 3.1</i>	●	●	●	●
IME 3.1 Database (Choose 1)				
Compact Database	●	●	●	●
Standard Database	●	●	●	●
Optional UI Components				
Dictionary Tool	●	●	●	●
Properties Dialog Box	●	●	●	●
Advanced Settings Dialog Box (Landscape mode only)	●	●	●	●
System Tray Icon Manager	●	●	●	●
<i>Pocket IME (Choose Additional Databases)</i>	●	●	●	●
Name/Place Database	●	●	●	●
Supplemental Database	●	●	●	●
Input Methods				
<i>All Characters List</i>	●	●	●	●
<i>Kana Soft Keyboard</i>	●	●	●	●
<i>Romaji/English Soft Keyboard</i>	●	●	●	●
<i>Search by Radical</i>	●	●	●	●
<i>Search by Stroke</i>	●	●	●	●
Keyboard				
<i>Japanese Keyboard - (NEC)</i>	●	●	●	●
<i>Japanese Keyboard - default (IBM)</i>	●	●	●	●

Locale				
<i>Japanese</i>	●	●	●	●
<i>Japanese (Japan)</i>	●	●	●	●
<i>Japanese (Japan, radical/stroke sort)</i>	●	●	●	●
Mootype Imaging AC3 Font Compression	●	●	●	●
UI Font				
<i>Meiryo & Meiryo UI</i>	●	●	●	●
<i>Meiryo Bold & Meiryo UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Kannada				
Keyboard				
<i>Kannada Keyboard</i>	●	●	●	●
Locale				
<i>Kannada</i>	●	●	●	●
<i>Kannada (India)</i>	●	●	●	●
UI Font				
<i>Tunga</i>	●	●	●	●
<i>Tunga Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Kazakh				
Locale				
<i>Kazakh</i>	●	●	●	●
<i>Kazakh (Kazakhstan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Khmer				
Locale				
<i>Khmer</i>	●	●	●	●
<i>Khmer (Cambodia)</i>	●	●	●	●
UI Font				
<i>Khmer UI</i>	●	●	●	●
<i>Khmer UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
K'iche				

Locale				
<i>K'iche</i>	●	●	●	●
<i>K'iche (Guatemala)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Kinyarwanda				
Locale				
<i>Kinyarwanda</i>	●	●	●	●
<i>Kinyarwanda (Rwanda)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Kiswahili				
Locale				
<i>Kiswahili</i>	●	●	●	●
<i>Kiswahili (Kenya)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Konkani				
Locale				
<i>Konkani</i>	●	●	●	●
<i>Konkani (India)</i>	●	●	●	●
UI Font				
<i>Mangal</i>	●	●	●	●
<i>Mangal Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Korean				
East Asian Edit Control	●	●	●	●
East Asian Word Wrap	●	●	●	●
Input Method Editor				
<i>IME 97</i>	●	●	●	●
Input Methods				
<i>Korean Soft Keyboard Sample</i>	●	●	●	●
Keyboard				

<i>Korean Keyboard</i>	●	●	●	●
Locale				
<i>Korean</i>	●	●	●	●
<i>Korean (Korea)</i>	●	●	●	●
Mootype Imaging AC3 Font Compression	●	●	●	●
UI Font				
<i>Malgun Gothic</i>	●	●	●	●
<i>Malgun Gothic Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Kyrgyz				
Locale				
<i>Kyrgyz</i>	●	●	●	●
<i>Kyrgyz (Kyrgyzstan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Lao				
Locale				
<i>Lao</i>	●	●	●	●
<i>Lao (Lao P.D.R.)</i>	●	●	●	●
UI Font				
<i>Lao UI</i>	●	●	●	●
<i>Lao UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Latvian				
Locale				
<i>Latvian</i>	●	●	●	●
<i>Latvian (Latvia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Lithuanian				
Locale				
<i>Lithuanian</i>	●	●	●	●
<i>Lithuanian (Lithuania)</i>	●	●	●	●

UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Lower Sorbian				
Locale				
<i>Lower Sorbian</i>	●	●	●	●
<i>Lower Sorbian (Germany)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Luxembourgish				
Locale				
<i>Luxembourgish</i>	●	●	●	●
<i>Luxembourgish (Luxembourg)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Macedonian				
Locale				
<i>Macedonian</i>	●	●	●	●
<i>Macedonian (Former Yugoslav Republic of Macedonia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Malay				
Locale				
<i>Malay</i>	●	●	●	●
<i>Malay (Brunei Darussalam)</i>	●	●	●	●
<i>Malay (Malaysia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Malayalam				
Locale				
<i>Malayalam</i>	●	●	●	●
<i>Malayalam (India)</i>	●	●	●	●

UI Font				
<i>Kartika</i>	●	●	●	●
<i>Kartika Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Maltese				
Locale				
<i>Maltese</i>	●	●	●	●
<i>Maltese (Malta)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Maori				
Locale				
<i>Maori</i>	●	●	●	●
<i>Maori (New Zealand)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Mapudungun				
Locale				
<i>Mapudungun</i>	●	●	●	●
<i>Mapudungun (Chile)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Marathi				
Keyboard				
<i>Marathi Keyboard</i>	●	●	●	●
Locale				
<i>Marathi</i>	●	●	●	●
<i>Marathi (India)</i>	●	●	●	●
UI Font				
<i>Mangal</i>	●	●	●	●
<i>Mangal Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●

Mohawk				
Locale				
<i>Mohawk</i>	●	●	●	●
<i>Mohawk (Mohawk)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Mongolian (Cyrillic)				
Locale				
<i>Mongolian</i>	●	●	●	●
<i>Mongolian (Cyrillic)</i>	●	●	●	●
<i>Mongolian (Cyrillic, Mongolia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Mongolian (Traditional)				
Locale				
<i>Mongolian (Traditional Mongolian)</i>	●	●	●	●
<i>Mongolian (Traditional Mongolian, PRC)</i>	●	●	●	●
UI Font				
<i>Mongolian Baiti</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Nepali				
Locale				
<i>Nepali</i>	●	●	●	●
<i>Nepali (Nepal)</i>	●	●	●	●
UI Font				
<i>Mangal</i>	●	●	●	●
<i>Mangal Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Norwegian				
Locale				
<i>Norwegian</i>	●	●	●	●
<i>Norwegian, Bokmål</i>	●	●	●	●
<i>Norwegian, Bokmål (Norway)</i>	●	●	●	●

Norwegian, Nyorsk	●	●	●	●
Norwegian, Nyorsk (Norway)	●	●	●	●
UI Font				
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Occitan				
Locale				
Occitan	●	●	●	●
Occitan (France)	●	●	●	●
UI Font				
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Oriya				
Locale				
Oriya	●	●	●	●
Oriya (India)	●	●	●	●
UI Font				
Kalinga	●	●	●	●
Kalinga Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Pashto				
Locale				
Pashto	●	●	●	●
Pashto (Afghanistan)	●	●	●	●
UI Font				
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Persian				
Locale				
Persian	●	●	●	●
Persian (Iran)	●	●	●	●
UI Font				
Segoe UI	●	●	●	●
Segoe UI Bold	●	●	●	●

Unicode Script Processor for Complex Scripts	●	●	●	●
Polish				
Locale				
<i>Polish</i>	●	●	●	●
<i>Polish (Poland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Portuguese				
Locale				
<i>Portuguese</i>	●	●	●	●
<i>Portuguese (Brazil)</i>	●	●	●	●
<i>Portuguese (Portugal)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Punjabi				
Keyboard				
<i>Punjabi Keyboard</i>	●	●	●	●
Locale				
<i>Punjabi</i>	●	●	●	●
<i>Punjabi (India)</i>	●	●	●	●
UI Font				
<i>Raavi</i>	●	●	●	●
<i>Raavi Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Quechua				
Locale				
<i>Quechua</i>	●	●	●	●
<i>Quechua (Bolivia)</i>	●	●	●	●
<i>Quechua (Ecuador)</i>	●	●	●	●
<i>Quechua (Peru)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●

Romanian				
Locale				
<i>Romanian</i>	●	●	●	●
<i>Romanian (Romania)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Romansh				
Locale				
<i>Romansh</i>	●	●	●	●
<i>Romansh (Switzerland)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Russian				
Keyboard				
<i>Russian Keyboard</i>	●	●	●	●
Locale				
<i>Russian</i>	●	●	●	●
<i>Russian (Russia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Sami				
Locale				
<i>Sami, Inari</i>	●	●	●	●
<i>Sami, Inari (Finland)</i>	●	●	●	●
<i>Sami, Lule</i>	●	●	●	●
<i>Sami, Lule (Norway)</i>	●	●	●	●
<i>Sami, Lule (Sweden)</i>	●	●	●	●
<i>Sami, Northern</i>	●	●	●	●
<i>Sami, Northern (Finland)</i>	●	●	●	●
<i>Sami, orthern (Norway)</i>	●	●	●	●
<i>Sami, Northern (Sweden)</i>	●	●	●	●
<i>Sami, Skolt</i>	●	●	●	●
<i>Sami, Skolt (Finland)</i>	●	●	●	●
<i>Sami, Southern</i>	●	●	●	●

<i>Sami, Southern (Norway)</i>	●	●	●	●
<i>Sami, Southern (Sweden)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Sanskrit				
Locale				
<i>Sanskrit</i>	●	●	●	●
<i>Sanskrit (India)</i>	●	●	●	●
UI Font				
<i>Mangal</i>	●	●	●	●
<i>Mangal Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Scottish Gaelic				
Locale				
<i>Scottish Gaelic</i>	●	●	●	●
<i>Scottish Gaelic (United Kingdom)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Serbian				
Locale				
<i>Serbian</i>	●	●	●	●
<i>Serbian (Cyrillic)</i>	●	●	●	●
<i>Serbian (Cyrillic, Bosnia and Herzegovina)</i>	●	●	●	●
<i>Serbian (Cyrillic, Montenegro)</i>	●	●	●	●
<i>Serbian (Cyrillic, Serbia and Montenegro (Former Yugoslav Republic of Macedonia))</i>	●	●	●	●
<i>Serbian (Cyrillic, Serbia)</i>	●	●	●	●
<i>Serbian (Latin)</i>	●	●	●	●
<i>Serbian (Latin, Bosnia and Herzegovina)</i>	●	●	●	●
<i>Serbian (Latin, Montenegro)</i>	●	●	●	●
<i>Serbian (Latin, Serbia and Montenegro (Former Yugoslav Republic of Macedonia))</i>	●	●	●	●
<i>Serbian (Latin, Serbia)</i>	●	●	●	●

UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Sesotho sa Leboa				
Locale				
<i>Sesotho sa Leboa</i>	●	●	●	●
<i>Sesotho sa Leboa (South Africa)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Setswana				
Locale				
<i>Setswana</i>	●	●	●	●
<i>Setswana (South Africa)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Sinhala				
Locale				
<i>Sinhala</i>	●	●	●	●
<i>Sinhala (Sri Lanka)</i>	●	●	●	●
UI Font				
<i>Iskoola Pota</i>	●	●	●	●
<i>Iskoola Pota Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Slovak				
Locale				
<i>Slovak</i>	●	●	●	●
<i>Slovak (Slovakia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Slovenian				
Locale				
<i>Slovenian</i>	●	●	●	●
<i>Slovenian (Slovenia)</i>	●	●	●	●

UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Spanish				
Locale				
<i>Spanish</i>	●	●	●	●
<i>Spanish (Argentina)</i>	●	●	●	●
<i>Spanish (Bolivia)</i>	●	●	●	●
<i>Spanish (Chile)</i>	●	●	●	●
<i>Spanish (Colombia)</i>	●	●	●	●
<i>Spanish (Costa Rica)</i>	●	●	●	●
<i>Spanish (Dominican Republic)</i>	●	●	●	●
<i>Spanish (Ecuador)</i>	●	●	●	●
<i>Spanish (El Salvador)</i>	●	●	●	●
<i>Spanish (Guatemala)</i>	●	●	●	●
<i>Spanish (Honduras)</i>	●	●	●	●
<i>Spanish (Mexico)</i>	●	●	●	●
<i>Spanish (Nicaragua)</i>	●	●	●	●
<i>Spanish (Panama)</i>	●	●	●	●
<i>Spanish (Paraguay)</i>	●	●	●	●
<i>Spanish (Peru)</i>	●	●	●	●
<i>Spanish (Puerto Rico)</i>	●	●	●	●
<i>Spanish (Spain)</i>	●	●	●	●
<i>Spanish (Spain, traditional sort)</i>	●	●	●	●
<i>Spanish (United States)</i>	●	●	●	●
<i>Spanish (Uruguay)</i>	●	●	●	●
<i>Spanish (Venezuela)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Swedish				
Locale				
<i>Swedish</i>	●	●	●	●
<i>Swedish (Finland)</i>	●	●	●	●
<i>Swedish (Sweden)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●

<i>Segoe UI Bold</i>	●	●	●	●
Syriac				
Locale				
<i>Syriac</i>	●	●	●	●
<i>Syriac (Syria)</i>	●	●	●	●
UI Font				
<i>Estrangelo Edessa</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Tajik				
Locale				
<i>Tajik</i>	●	●	●	●
<i>Tajik (Cyrillic)</i>	●	●	●	●
<i>Tajik (Cyrillic, Tajikistan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Tamazight				
Locale				
<i>Tamazight</i>	●	●	●	●
<i>Tamazight (Latin)</i>	●	●	●	●
<i>Tamazight (Latin, Algeria)</i>	●	●	●	●
UI Font				
<i>Ebrima</i>	●	●	●	●
<i>Ebrima Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Tamil				
Keyboard				
<i>Tamil Keyboard</i>	●	●	●	●
Locale				
<i>Tamil</i>	●	●	●	●
<i>Tamil (India)</i>	●	●	●	●
UI Font				
<i>Latha</i>	●	●	●	●
<i>Latha Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●

Tatar					
Locale					
	<i>Tatar</i>	●	●	●	●
	<i>Tatar (Russia)</i>	●	●	●	●
UI Font					
	<i>Segoe UI</i>	●	●	●	●
	<i>Segoe UI Bold</i>	●	●	●	●
Telugu					
Keyboard					
	<i>Telugu Keyboard</i>	●	●	●	●
Locale					
	<i>Telugu</i>	●	●	●	●
	<i>Telugu (India)</i>	●	●	●	●
UI Font					
	<i>Gautami</i>	●	●	●	●
	<i>Gautami Bold</i>	●	●	●	●
	Unicode Script Processor for Complex Scripts	●	●	●	●
Thai					
Keyboard					
	<i>Thai Kedmanee Keyboard</i>	●	●	●	●
Locale					
	<i>Thai</i>	●	●	●	●
	<i>Thai (Thailand)</i>	●	●	●	●
UI Font					
	<i>Microsoft San Serif</i>	●	●	●	●
	Unicode Script Processor for Complex Scripts	●	●	●	●
Tibetan					
Locale					
	<i>Tibetan</i>	●	●	●	●
	<i>Tibetan (PRC)</i>	●	●	●	●
UI Font					
	<i>Microsoft Himalaya</i>	●	●	●	●
	Unicode Script Processor for Complex Scripts	●	●	●	●
Turkish					
Locale					

<i>Turkish</i>	●	●	●	●
<i>Turkish (Turkey)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Turkmen				
Locale				
<i>Turkmen</i>	●	●	●	●
<i>Turkmen (Turkmenistan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Uighur				
Locale				
<i>Uighur</i>	●	●	●	●
<i>Uighur (PRC)</i>	●	●	●	●
UI Font				
<i>Microsoft Uighur</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Ukrainian				
Locale				
<i>Ukrainian</i>	●	●	●	●
<i>Ukrainian (Ukraine)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Upper Sorbian				
Locale				
<i>Upper Sorbian</i>	●	●	●	●
<i>Upper Sorbian (Germany)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Urdu				
Locale				
<i>Urdu</i>	●	●	●	●

<i>Urdu (Pakistan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Uzbek				
Locale				
<i>Uzbek</i>	●	●	●	●
<i>Uzbek (Cyrillic)</i>	●	●	●	●
<i>Uzbek (Cyrillic, Uzbekistan)</i>	●	●	●	●
<i>Uzbek (Latin)</i>	●	●	●	●
<i>Uzbek (Latin, Uzbekistan)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Vietnamese				
Locale				
<i>Vietnamese</i>	●	●	●	●
<i>Vietnamese (Vietnam)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Unicode Script Processor for Complex Scripts	●	●	●	●
Welsh				
Locale				
<i>Welsh</i>	●	●	●	●
<i>Welsh (United Kingdom)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Wolof				
Locale				
<i>Wolof</i>	●	●	●	●
<i>Wolof (Senegal)</i>	●	●	●	●
UI Font				

<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Yakut				
Locale				
<i>Yakut</i>	●	●	●	●
<i>Yakut (Russia)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Yi				
Locale				
<i>Yi</i>	●	●	●	●
<i>Yi (PRC)</i>	●	●	●	●
UI Font				
<i>Microsoft Yi Baiti</i>	●	●	●	●
Yoruba				
Locale				
<i>Yoruba</i>	●	●	●	●
<i>Yoruba (Nigeria)</i>	●	●	●	●
UI Font				
<i>Segoe UI</i>	●	●	●	●
<i>Segoe UI Bold</i>	●	●	●	●
Multilingual User Interface (MUI)	●	●	●	●
Internet Client Services				
Browser Application			●	●
Flash10.1				
Adobe Flash 10.1 ActiveX Control			●	●
Internet Explorer 7.0 for Windows Embedded Compact - Standard Components				
Internet Explorer 7.0 Sample Browser			●	●
Internet Explorer 7.0 Silverlight for Windows Embedded			●	●
Internet Explorer 7.0 for Windows Embedded Compact Components				
Internet Explorer HTML/DHTML API			●	●
Filter and Transition			●	●
<i>MSFT DirectX Transforms</i>			●	●
Internet Explorer Plug-in ImageDecoder API			●	●

<i>Internet Explorer PNG Image Decoder</i>			●	●
Internet Explorer Theme Library			●	●
<i>Internet Explorer Theme Library – Windows XP style</i>			●	●
Internet Explorer Multiple-Language Base API			●	●
Internet Explorer RPC Support			●	●
URL Moniker Services			●	●
Windows Internet Services			●	●
Passport SSI 1.4 Authentication			●	●
XML Data Islands			●	●
XML MIME Viewer			●	●
Internet Options Control Panel			●	●
Internet Options Control Panel Silverlight for Windows Embedded			●	●
Scripting				
JScript 5.8			●	●
VBScript 5.8			●	●
Security				
Authentication Services (SSPI)	●	●	●	●
Kerberos	●	●	●	●
NTLM	●	●	●	●
Schannel (SSL/TLS)	●	●	●	●
Credential Manager	●	●	●	●
Cryptography API: Next Generation (CNG)™	●	●	●	●
Cryptography Services (CryptoAPI 1.0) with High Encryption Provider	●	●	●	●
Certificates (CryptoAPI 2.0)	●	●	●	●
Diffie-Hellman/DSS Provider	●	●	●	●
Loader Verifier Module	●	●	●	●
Local Authentication Sub-System	●	●	●	●
Password Local Authentication Plug-in	●	●	●	●
Shell and User Interface				
Graphics, Windowing and Events	●	●	●	●
Minimal GDI Configuration	●	●	●	●
Minimal GWES Configuration	●	●	●	●
Minimal Input Configuration	●	●	●	●
Minimal Window Manager Configuration	●	●	●	●

Window Compositor				
Window Compositor	●	●	●	●
Window Compositor Using Graphics Hardware	●	●	●	●
Touch Gestures				
Touch Gesture GWES component	●	●	●	●
Default Gesture Response	●	●	●	●
Gesture Animation Support	●	●	●	●
AYG Shell			●	●
AYGShell API Set			●	●
Command Shell	●	●	●	●
Command Processor	●	●	●	●
Console Window	●	●	●	●
Graphical Shell (Choose 1)		●	●	●
Sample Home Screen Silverlight for Windows Embedded		●	●	●
<i>Themes</i>				
Default Theme		●	●	●
Theme 1		●	●	●
Theme 2		●	●	●
Theme 3		●	●	●
Standard Shell	●	●	●	●
Windows Thin Client Shell				●
Screen configuration (Choose 1)		●	●	●
1920 x 1080p Landscape		●	●	●
640 x 480 Portrait		●	●	●
800 x 480 Landscape		●	●	●
Silverlight for Windows Embedded		●	●	●
User Interface				
Accessibility	●	●	●	●
Common Controls	●	●	●	●
Animation Control	●	●	●	●
Common Control	●	●	●	●
Common Dialog Support	●	●	●	●
Control Panel Applets	●	●	●	●
Control Panel, Silverlight for Windows Embedded		●	●	●
Customizable UI	●	●	●	●

Windows XP-like Sample Skin	●	●	●	●
Date Time Setting	●	●	●	●
Display Setting	●	●	●	●
Input Setting	●	●	●	●
Menu Tool Tip	●	●	●	●
Mouse	●	●	●	●
Network Connection Setting	●	●	●	●
Network User Interface	●	●	●	●
Overlapping Menus	●	●	●	●
Quarter VGA Resources - Portrait Mode	●	●	●	●
Regional Setting	●	●	●	●
Software Input Panel		●	●	●
Software-based Input Panel (SIP) (Choose 1 or more)				
<i>SIP for Large Screens</i>		●	●	●
<i>SIP for Small Screens</i>		●	●	●
<i>SIP for Small Screens Silverlight for Windows Embedded</i>		●	●	●
Software-based Input Panel Driver		●	●	●
Sound Setting				
Touch Screen (Stylus)	●	●	●	●
Wi-Fi Setting	●	●	●	●
Header Windows Embedded Compact Error Reporting				
Error Report Generator	●	●	●	●
Error Report Transfer Driver	●	●	●	●
Error Reporting Control Panel	●	●	●	●
Report Upload Client	●	●	●	●
Report Upload Client User Interface	●	●	●	●